

Augsburg, 01.06.2015

Page 1 of 16

PCI specialist advice: reliable laying of large tiles

A stylish floor with large tiles

Large tiles are fashionable. They not only create an exclusive, modern impression but also make small rooms look larger and large rooms seem calmer. This was why master tiler Jens Pomplun from Linnich used 270 x 120 cm fully vitrified tiles in his living room. He not only benefited from PCI advice and professional workmanship in his private life but was also able to gain valuable experience and specialist knowledge in the new area of laying large tiles.

In this case, the rehabilitation of the substrate posed a special challenge. In the living room, the heated screed was faulty in some places and only very little height was available for the floor covering. The master tiler used the following system on the basis of advice provided by PCI application technician Lukas Lukuc: the cement screed was first primed using PCI Gisogrund 404. The screed was levelled using PCI Armiermatte GFM to reinforce the PCI Periplan Extra levelling compound and to improve its tensile strength. The levelling compound was poured out onto the surface, distributed with a skid leveller and then aerated and levelled using a spiked roller.

Jens Pomplun used PCI Rapidflott flowable tile adhesive with the polymer-modified additive PCI Lastoflex to lay the tiles. This supple adhesive is especially well-suited for laying ceramic tiling and cotto with virtually no voids. Following the application of adhesive to the back of the slabs, they were laid directly into the wet adhesive. As a

Sitz der Gesellschaft: PCI Augsburg GmbH Piccardstr. 11, 86159 Augsburg Postfach 10.2247, 86012 Augsburg Tel. +49(821)5901-0 Fax +49(821)5901-372 Geschäftsführer: Clemens Bierig Manfred Grundmann Aufsichtsratsvorsitzender: Philipp Kley

Registergericht: Amtsgericht Augsburg, HRB 6355 USt-IdNr.: DE811143409 Bank: Deutsche Bank AG, Augsburg BIC DEUTDEMM720 IBAN DE73 7207 0001 0535 0707 00





Augsburg, 01.06.2015

Page 2 of 16

result of the rapid hardening of the mortar, the tiling could already be grouted with PCI Flexfug about three hours after laying. The living room of the single-family home was tiled using beige Neolith tiles with a size of 270 x 120 cm and a thickness of 5 mm. The smaller size of 120 x 120 cm was used in the kitchen, hall and corridor. A star-shaped feature using two different natural types of natural stone is a special eyecatcher in the hall.

Sitz der Gesellschaft: PCI Augsburg GmbH Piccardstr. 11, 86159 Augsburg Postfach 10.2247, 86012 Augsburg Tel. +49(821)5901-0 Fax +49(821)5901-372 Geschäftsführer: Clemens Bierig Manfred Grundmann Aufsichtsratsvorsitzender: Philipp Kley

Registergericht: Amtsgericht Augsburg, HRB 6355 USt-IdNr.: DE811143409 Bank:
Deutsche Bank AG, Augsburg
BIC DEUTDEMM720
IBAN DE73 7207 0001 0535 0707 00



Augsburg, 01.06.2015

Page 3 of 16

Project data

Project title:	A stylish floor with large tiles
Subtitle:	PCI specialist advice: reliable laying of large tiles
Location:	Linnich
Year of completion:	2014
Objective:	Laying large tiles
Project size:	About 115 m ² of floor tiles and skirting tiles
Products used:	PCI Gisogrund 404, PCI Armiermatte GFM,
	PCI Periplan Extra, PCI Rapidflott, PCI Lastoflex,
	PCI Flexfug
Client	Jens Pomplun, Linnich
Planning:	Jens Pomplun, master tiler, Linnich
Tiling:	Jens Pomplun, master tiler, Linnich
PCI applications	Lukas Lukuc
technician:	Lando Lando
PCI technical advisers:	Oliver Heuser, Markus Mielczarek
Contact:	PCI Augsburg GmbH
	Piccardstraße 11
	86159 Augsburg
	Phone: 0821 5901-0
	Fax: 0821 5901-416
	Email: pci-info@basf.com
	www.pci-augsburg.de



Augsburg, 01.06.2015

Page 4 of 16

Photos (for downloading PI)



Master tiler Jens Pomplun from Linnich gained experience with large tiles in his own home: he laid fully vitrified tiles with a size of 270 x 120 cm on an area of about 60 m².

http://www.pci-

pics.com:80/php/index.php?database=2&downloadimage=7562&size=&format=&check=43dffd6034b3efd0428d1af13ce528c8



Augsburg, 01.06.2015

Page 5 of 16



The entire surface was prepared for laying large tiles using PCI Gisogrund 404 primer.

http://www.pci-

pics.com:80/php/index.php?database=2&downloadimage=7561&size=&format=&check=f4701cf30dbd1bd9cbbf4f3bfacaf675



Augsburg, 01.06.2015

Page 6 of 16



PCI Armiermatte GFM glass fibre reinforcement was used to reinforce the levelling compound.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7563&size=&format=&check=158eb6719c035d3f6878957378c09ff9



Augsburg, 01.06.2015

Page 7 of 16



Jens Pomplun used the fibre-reinforced special levelling compound PCI Periplan Extra for levelling the screed.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7564&size=&format=&check=c11c857b3f829895f6c4d7031af1aa70



Augsburg, 01.06.2015

Page 8 of 16



PCI Periplan Extra special levelling compound flows easily and can be processed without any problems.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7565&size=&format=&check=101f5121ecf22a97ab77dd9765ec27bc



Augsburg, 01.06.2015

Page 9 of 16



PCI Periplan Extra is distributed with a skid leveller and then levelled and aerated using a spiked roller.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7567&size=&format=&check=3317b094337d5c8e7b5b24eb5c9f9c12



Augsburg, 01.06.2015

Page 10 of 16



The master tiler mixed PCI Rapidflott flowable tile adhesive with the polymer-modified additive PCI Lastoflex.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7568&size=&format=&check=c1b2ad75504095ffcb109b69e575b4e1



Augsburg, 01.06.2015

Page 11 of 16



To ensure laying with virtually no voids, PCI Rapidflott was applied both to the substrate and to the back of the tile.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7570&size=&format=&check=68205a1d65474ae539a57e4daa95ee47



http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7571&size=&format=&check=deca4fb18ce60f0a716c0759d03754b7

Sitz der Gesellschaft: PCI Augsburg GmbH Piccardstr. 11, 86159 Augsburg Postfach 102247, 86012 Augsburg Tel. +49(821)5901-0 Fax +49(821)5901-372 Geschäftsführer: Clemens Bierig Manfred Grundmann **Aufsichtsratsvorsitzender:** Philipp Kley

Registergericht: Amtsgericht Augsburg, HRB 6355 USt-IdNr.: DE811143409 Bank: Deutsche Bank AG, Augsburg BIC DEUTDEMM720 IBAN DE73 7207 0001 0535 0707 00





Augsburg, 01.06.2015

Page 12 of 16



The laying of very large tiles calls for considerable know-how and experience – as well as the right tools. Provided that these requirements are met, even such challenging projects can be completed successfully.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7572&size=&format=&check=491e3b0afc15342806b3da88d170a389



Augsburg, 01.06.2015

Page 13 of 16



The fully vitrified tiles were grouted using PCI Flexfug.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7575&size=&format=&check=7927c1b957a3b345a10995fb7ab98dfa



Augsburg, 01.06.2015

Page 14 of 16



Expert laying, exclusive appearance and a long service life: large tiles in the living room of master tiler Jens Pomplun.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7576&size=&format=&check=b8a83020466f8f347b57444b135b00a2



Augsburg, 01.06.2015

Page 15 of 16



This star-shaped feature in the hall is a real eyecatcher.

http://www.pci-pics.com:80/php/index.php?database=2&down-loadimage=7577&size=&format=&check=e2afb00cd7148ac41dca5bbf8b8c9948

Sitz der Gesellschaft:
PCI Augsburg GmbH
Piccardstr. 11, 86159 Augsburg
Postfach 10.22 47, 86012 Augsburg
Tel. +49(8 21) 59 01-0
Fax +49(8 21) 59 01-372

Geschäftsführer: Clemens Bierig Manfred Grundmann **Aufsichtsratsvorsitzender:** Philipp Kley

Registergericht: Amtsgericht Augsburg, HRB 6355 USt-IdNr.: DE811143409 Bank: Deutsche Bank AG, Augsburg BIC DEUTDEMM720 IBAN DE73 7207 0001 0535 0707 00



Augsburg, 01.06.2015

Page 16 of 16

About PCI

PCI Augsburg GmbH is part of the business unit Construction Chemicals of BASF and leader in the tile laying materials sector for specialist firms in Germany, Austria and Switzerland. In addition, the company supplies product systems for waterproofing, concrete protection and repair, as well as a complete product range for the soft flooring sector. PCI employs a staff of more than 700 and generated sales of over €220 million net in 2014. Further information about PCI on the Internet under www.pci-augsburg.de.

About BASF

At BASF, we create chemistry – and have been doing so for 150 years. Our portfolio ranges from chemicals, plastics, performance products and crop protection products to oil and gas. As the world's leading chemical company, we combine economic success with environmental protection and social responsibility. Through science and innovation, we enable our customers in nearly every industry to meet the current and future needs of society. Our products and solutions contribute to conserving resources, ensuring nutrition and improving quality of life. We have summed up this contribution in our corporate purpose: We create chemistry for a sustainable future. BASF had sales of over €74 billion in 2014 and around 113,000 employees as of the end of the year. BASF shares are traded on the stock exchanges in Frankfurt (BAS), London (BFA) and Zurich (AN). Further information on BASF is available on the Internet at www.basf.com.

Tel. +49(821)5901-0 Fax +49(821)5901-372 Registergericht: Amtsgericht Augsburg, HRB 6355 USt-IdNr.: DE811143409

Bank:

Deutsche Bank AG, Augsburg BIC DEUTDEMM720 IBAN DE73 7207 0001 0535 0707 00